P

App. F. IX-4

1946-47

File No. 134-46

Previous References. EST-)

Serial Nos. 1. 2. 3

Later References.

PRESERVED

GENERAL AND REVENUE SECRETARIAT

Serial Nos. Three

Part B for July 47.

SUBJECT

Construction Allowance

No. PW. 119-21 dated 2.7.47

To the Ch. Engr. Irr.
" Comptr.
" Auditor (PWD) } two 2 w.

Sanctions the grant of a — of 20 percent of pay instead of the 10 percent sanctioned to the staff of the Nuen Reservoir Dn.

Serial No.

Letter No 8378/E dated 20-5-1967 from the Chief Engineer for Irrigation. Requests sir The circumstances reported, Sanction to the Construction allowance of 10% of pay granted to the staff of Ninga Reservoir Dn, who are stationed in out of the way places being raised to 20% of pay and granted to all the staff attached to the Division.

C In G.O No PW 3478-86/Irrn 31-45-6 dated 2-12-1946 Sanction has been accorded among other things to the grant of a Construction allowance of 10% of pay to the staff of the Ninga Reservoir Dn who are stationed in out of the way places.

2. The CE states that the Ninga Dam works are situated in the interior in a hilly and forest tract, about 45 miles from Mysore and that the place is highly malarial. The staff attached to Tunga Anicut Works as well as Fog Power Scheme are in receipt of an allowance of 20% of pay. In the case of J.P.S. the allowance is being raised to 30%. And orders are under issue in the Financial Branch

3. In view of the above facts, the CE recommends that the allowance

NOTE—Contn. Sheet.

Construction allowance to the staff of Nyga Reservoir Division. 6817

File No. of 194 Public Works Secretariat

Serial No.

of 10% of pay granted to the staff of Nyga Division, stationed in out of the way places may be raised to 20% and granted to all the staff attached to the Division. The proposal requires financial concurrence.

4. The situation of the works, the difficult and hard living conditions of the staff stationed at the places warrant concessions similar to those that are given in Thunga Anicut works and Jog Power Scheme and the Construction allowance therefore may perhaps be raised from 10% to 20% to the staff stationed at or near the work spot from the date of formation of the Division

Secy) HPS 3.6.47

~~The area of the Chief Engineer~~ rep Para 2 of his is for persons in the his area is more well situated with regard to ~~it~~ can be other areas referred to, with by the Chief Engineer and hence he recommend that that the maximum of 20% allowance may be granted

Minister Ag and P.W. and Excise Forests Secy

B.W. 5.6.47

8/6/47.

FINANCIAL SECTION U.O.No. 8473 7/6 BANGALORE

OFFICE OF THE MINISTER FOR AGRICULTURE AND PUBLIC WORKS 13 JUNE 1947 No. 9469

Construction allowance to staff of Mysore Reserve

App. F III-2

General and Revenue Secretariat | File No. PW of 194

Serial No.

9469

7. I agree with the C.E. I have inspected the rise in May. It is in a hilly tract in Heggadadevanakote taluk. The proposal of the C.E. to enhance the construction allowance to 20% of the salary may be sanctioned

D. 9383.

Dy. 16/6

Dewan. 8.

BSO
17/6/47

HPS
17.6.47

9.

Dy 19/6/47

HPS
19.6.47

10 Sent with a draft GO. A doubt is felt as to whether the allowance is to be granted to all the staff of the Div or only to those stationed at or near the work spot. The Head quarters of the Division is now at Mysore. Hence the allowance is at present sanctioned only to the staff at or near the work spot. When the div staff move on to the work-spot in January 48, the allowance will become admissible to them.

21/6/47

NOTE—Contn. Sheet

21-6-47

Serial No.

11. Issue the draft

Bom/23.6.47

12. Fl. comm. No. 31.
Please refer to the F/S's opinion given on 8/6/47. Draft attached.

13. Jour 24/6/47 14. Returned 24/6/47.

No. PW 119-21/FSI-134-46-3 dated 2.7.47
To the Ch. Engr. Bom.
" Comptr.
" Audit Offr. Poona. } Issued.

Sanctions the grant of a Construction allowance of 20 percent of Pay inclusive of the 10 percent sanctioned to the Staff of the Water Reservoir Division

W D 03814—GPB—15,000—20-7-46

Est 134-46-1

Office of the Chief Engineer for
Irrigation in Mysore,
Dated Bangalore, 18th May 1947.

No.8378/E

20/5

To

The Secretary to Government,
Public Works Department,
Bangalore.





Construction Allowance to the staff of Nugu Reservoir Division.

'C'

I have the honour to state that in Government Order No.P.W.3478-86/Irn. 31-45-6 dated 2-12-1946, it was ordered among other things that a construction allowance of 10% of pay be given to the staff attached to Nugu Reservoir Division stationed in out of the way places. The Nugu Dam works are situated in the interior, hilly and forest area, 45 miles away from Mysore. The works are 31 miles from the nearest Railway station at Nanjangud. There are no transport facilities. There are no big villages or towns near the Dam site. The staff posted to the works have to live in tents and temporary sheds, maintaining their dependents at Mysore or any other convenient places. For lack of transport facilities, one trip to Mysore costs the official ~~to~~ Rs.5/- to Rs.6/-. The Dam site is situated in a highly malarial place.

2. The Superintending Engineer, Irrigation Circle, has therefore recommended that construction allowance payable to the staff of the Nugu Reservoir Division may be raised from 10% of pay to 20% of pay.

3. The staff employed on Thunga Anicut works and Jog Power Scheme are being paid an allowance of 20% of the pay. The conditions at the Nugu Dam site are in no way better than any special works, ~~with~~ in respect of unhealthiness, lack of facilities of transport, want of medical aid and the nature of work, specially at the early stages. Judging from the nature of the several disabilities, the staff has to confront, even 30% allowance may not be enough.

4. Under the above circumstances, sanction of Government for the enhancement of construction allowance from 10% of pay to 20% of pay from the date of formation of the Division and for the payment of the

C.C.,

of the allowance to all the staff of the Division irrespective of their Head quarters may kindly be obtained and communicated.

I have the honour to be.

Sir,

Your most obedient servant,

GCS/18th.

CHIEF ENGINEER FOR IRRIGATION.

134
Cat B-46-2

Rajakaryaprasakta
. NARASIMHAIYA, Esq., B.A.,
C.E., M.I.E.(Ind.),
Chief Engineer for Irrigation.

D.O.No. 8855/6
R.1.

**PUBLIC WORKS DEPARTMENT,
CENTRAL OFFICE.**

Dated, Bangalore, 10th June 1947.

SECRETARIAT
6798
Date 14/6/47

Dear Mr.Narasinga Rao,

Construction allowance to the staff of Nugu Reservoir Division.

6317 PW 17/6

In continuance of this office letter No.8378-79/E dated 20-5-1947, on the above subject, I enclose herewith, for information, a copy of letter No.702 dated 7-5-1947, from the Executive Engineer, Nugu Reservoir Division, Mysore, stating that the Minister for Public Works, inspected the Nugu Dam Site on 5-5-1947 and was kind enough to say that he would reconsider the question.

Lr. 6/6 ref. to with Lr. above and put up Post 11/6/47

1189 13.6.47

Yours sincerely,

B.S.Narasinga Rao, Esq., B.A.,B.E.,
Secretary to Government,
Public Works Department,
Bangalore.

SW 17/6

Public Works Secretariat	File No.	of 194	[App. F. III–2
Serial No.			

Subj)

It is seen that the previous reference quoted by the CE/I requesting sanction to the enhancement of the Construction Allowance from 10% to Rs 70/- (Diary no. 6817/10...) has been submitted to the Dewan on 17.6.1947 after perusal by the Minister for Agri & PW

Secy) HPS 19.6.47

18/6/47.

This is the one received from Dewan

Dy 20.6.47

HPS

20.6.47

NOTE—Contn. Sheet.

File No. of 194 . Public Works Secretariat

Serial No.

Letter No.702 dated 7-5-1947 from the Executive Engineer, Nugu Reservoir Division, Mysore, to the Superintending Engineer, Irrigation Circle, Mysore.

Public Works Minister's visit to the Nugu Dam Site.

I have the honour to report that the Public Works Minister inspected the Nug Dam site on Monday the 5th instant. The Superintending Engineer, Irrigation Circle, the Deputy - Commissioner, Mysore District accompanied the Minister. The Minister and the party inspected the dam site and the Colony site. The details of the project were explained to the Ministe with the plans. The Minister instructed to make necessary arrangements to push through the works. He was very much impressed with the Dam site and the arrangements so far made. A request for increasing the construction allowance from 10% to 20% was made and the Minister was kind enough to say that he would reconsider the question.

"COPY"

GCS/3rd.

CHIEF ENGINEER FOR IRRIGATION.

6817
P IV

G. R. S. App. F VI—G. 2]

SUBJECT Construction allowance to the staff of Mysore Reservoir Dn.

P.W. 119-121

Diary No. of letter replied to .....

Section Est

File No. 134-46

Serial No. 3

General and Revenue Secretariat

( )

the 19

Proceedings of the Government of His Highness the Maharaja of Mysore.

Date of issue 2-7-47 19

Read— G.O. No. PW 3478-86/~~Est~~ Dtd 31-45-6 dated 2-12-1946 according administrative sanction to the construction of a reservoir across the Mysore river in Heggadadevankote Taluk at a cost of Rs. 81.0 lakhs and to the formation of a Public Works Division with the necessary establishment with the direction that a Construction allowance of 10% of pay be given only to the staff stationed in out of the way

Signed by Mr HPS.

Subject file with diary No. 939 47-48

May this be—

(i) printed?

(ii) treated as a standing order?

(iii) published in the Gazette, English Part?

(iv) translated?

(v) placed at the disposal of the Press?

(vi) published in the Gazette, Kannada Part?

Order thereon.—No.

E 16

Places.

2. Letter No 8378/E dated 20/5/1947 from the Chief Engineer Sr Lanka stating that the Myra Reservoir works are situated in a hilly and forest area which is highly malarial and recommending that the Construction allowance of 10% of pay sanctioned in the G.O. dated 2.12.1946 read above may be raised to 20% and granted to all the staff attached to the Division.

Order thereon No PW 119-121 Dated 2/7/47

Sanction is accorded to the grant of a construction allowance of 20% of pay instead of 10% as sanctioned as per order read above.

List of Enclosures

20

To the staff stationed at the work spot from the date of formation of the Division

Copied by

Examined by

Doc 23.6.47 HPS

Secy to CWE 23.6.47

PW Dept

Copy to CWE Sr Dnj
Maj Rep: Colpetty
The Dir of Q.W.
The Dir of Bldgs
The Comptroller (Thro' DC Lab)
The Auditor (W&P)
The DC Hyd
Copy to Rev. Br
P&P Br
Rel Br

WD 03696—GPB—30,000—2-2-40

D 21/6/47 · MD 24/6

PROCEEDINGS OF THE GOVERNMENT OF HIS HIGHNESS THE MAHARAJA OF MYSORE

Public Works Department

READ—

Government Order No.P.W.3478-86/Irn. 31-45-6 dated 2-12-1946 according administrative sanction for the construction of a Reservoir across the Nugu River in Heggadadevankote Taluk at a cost of Rs.81.0 lakhs and to the formation of Public Works Division with the necessary establishment with the direction that a construction allowance of 10% of pay be given only to the staff stationed in out of the way places

2. Letter No.8378/E dated 20-5-1947 from the Chief Engineer for Irrigation stating that the Nugu Reservoir Works are situated in a hilly and forest area which is highly malarial and recommending that the construction allowance of 10% of pay sanctioned in the Government Order dated 2-12-1946 read above may be raised to 20% and granted to all the staff attached to the Division.

ORDER THERE No. P.W. 119-121/Esl 134-46-3

Dated Bangalore 2 June 1947.

Sanction is accorded to the grant of a construction allowance of 20% of pay instead of the 10% as sanctioned in the Government Order read above

H. Puttaswamy
27.6.47
Secretary to Government,
Public Works Department.

To

The Chief Engineer for Irrigation,
The Comptroller to Government,
The Auditor, Public Works Deptt.,
through Financial Secretariat